## Cluster Title: Represent and model with vector quantities.

**Standard (+) N.VM.1:** Recognize vector quantities as having both magnitude and direction. Represent vector quantities by directed line segments, and use appropriate symbols for vectors and their magnitudes (e.g.,  $\mathbf{v}$ ,  $|\mathbf{v}|$ ,  $|\mathbf{v}|$ ,  $|\mathbf{v}|$ ).

## **Concepts and Skills to Master**

- Recognize vector quantities as having both magnitude and direction.
- Represent vector quantities by directed line segments, and use appropriate symbols for vectors (*v*) and their magnitudes (e.g., |*v*|,||*v*||, *v*).
- Find the magnitude of a vector.

# Supports for Teachers

Capporte for Todorioro			
Critical Background Knowledge			
Understand and use the Pythagorean Theorem.			
Understand and use the Distance Formula.			
Academic Vocabulary			
Vector, magnitude, displacement			
Suggested Instructional Strategies	Resources		
Relate vectors to bearings.			
Relate vectors to velocity of planes when affected by crosswinds.			
Sample Formative Assessment Tasks			
Skill-based Task	Problem Task		
Find $  v  $ if $\mathbf{v} = <7,-12>$ .	A car has driven 125 km due west, then 60 km due south.		
	Represent the displacement of the car with a vector. Find the		
	magnitude of the vector to find the displacement of the car.		

## Cluster Title: Represent and model with vector quantities.

**Standard (+) N.VM.2:** Find the components of a vector by subtracting the coordinates of an initial point from the coordinates of a terminal point.

## **Concepts and Skills to Master**

• Find the horizontal and vertical components of a vector by subtracting the coordinates of an initial point from the coordinates of a terminal point.

# Supports for Teachers

- Capporto for Fodorioro			
Critical Background Knowledge			
Definition of vector			
Vector notation			
Coordinate plane			
Graphing points			
Academic Vocabulary			
Vector, components, initial point, terminal point			
Suggested Instructional Strategies	Resources		
Explore vectors using contextual situations such as air or sea			
navigation.			
Sample Formative Assessment Tasks			
Skill-based Task	Problem Task		
Write the components of a vector whose initial point is	se initial point is Create pairs of initial and terminal points that represent the		
(-7, 2) and whose terminal point is (5,-3).	vector $v = <-2, 5>$ .		

#### Cluster Title: Represent and model with vector quantities.

Standard (+) N.VM.3: Solve problems involving velocity and other quantities that can be represented by vectors.

#### **Concepts and Skills to Master**

- Represent real world contexts with geometric vector models.
- Solve contextual problems involving velocity and other quantities that can be represented by vectors in a variety of disciplines (e.g., science, sports, medicine).

# Supports for Teachers

#### **Critical Background Knowledge**

- Find the direction and magnitude of a vector.
- Graph vectors.
- Use vector notation.

#### **Academic Vocabulary**

Vector, direction, magnitude, velocity, force

## **Suggested Instructional Strategies**

- Use contextual problems to explore applications of vectors.
- Have students create contextual situations for given vectors.
- Use tools (e.g., compass, ruler, cm paper) to model vector situations geometrically.

#### **Sample Formative Assessment Tasks**

#### Skill-based Task

You are going to swim across a 20 m river with a current of 6 kph. Draw a scale model of the vector that represents the path of your swim and estimate how far downstream you are when you reach the other side.

#### Problem Task

A car is travelling north at 45 mph and collides into another car travelling east at 30 mph. Represent the collision graphically.

Resources

## **Cluster Title: Perform operations on vectors.**

**Standard (+) N.VM.4.:** Add and subtract vectors.

- a. Add vectors end to end, component-wise, and by the parallelogram rule. Understand that the magnitude of a sum of two vectors is typically not the sum of the magnitudes.
- b. Given two vectors in magnitude and direction form, determine themagnitude and direction of their sum.
- c. Understand vector subtraction  $\mathbf{v} \mathbf{w}$  as  $\mathbf{v} + (-\mathbf{w})$ , where  $-\mathbf{w}$  is the additive inverse of  $\mathbf{w}$ , with the same magnitude as  $\mathbf{w}$  and pointing in the opposite direction. Represent vector subtraction graphically by connecting the tips in the appropriate order, and perform vector subtraction component-wise.

### **Concepts and Skills to Master**

- Draw vectors end to end to find the resultant sum of the vectors.
- Add vectors using components.
- Use the parallelogram rule to find the sum of two vectors.
- Understand that the magnitude of a sum of two vectors is typically not the sum of the magnitudes.
- Understand vector subtraction as the vector you would add to **w** to get **v**.

### Supports for Teachers

### **Critical Background Knowledge**

- · Vector notation, magnitude, and direction
- Graph ordered pairs and vectors
- Distance Formula

### **Academic Vocabulary**

Vector, end to end, component-wise, parallelogram rule, magnitude, resultant vector

vector, end to end, component wise, parallelogram rule, magnitude, resultant vector		
Suggested Instructional Strategies	Resources	
<ul> <li>Use contextual situations from a variety of disciplines to model vector addition.</li> <li>Use real-life examples to justify why vectors cannot be added by summing magnitudes.</li> </ul>	Precalculus textbook	
Comple Formative Assessment Tooks		

#### **Sample Formative Assessment Tasks**

Skill-based Task	Problem Task
Given the vectors <4, 7> and <-1, 2> select a method to	Under what conditions is the sum of the magnitudes of two
find their sum. What is the magnitude of the sum?	vectors be equal to the magnitude of the sum?

Vector and Matrix Quantities Secondary I Honors

#### **Core Content**

## Cluster Title: Perform operations on vectors.

Standard (+) N.VM.5: Multiply a vector by a scalar.

- a. Represent scalar multiplication graphically by scaling vectors and possibly reversing their direction; perform scalar multiplication component-wise, e.g., as  $c(v_x, v_y) = (cv_x, cv_y)$ .
- b. Compute the magnitude of a scalar multiple  $c\mathbf{v}$  using  $||c\mathbf{v}|| = |c| v$ . Compute the direction of  $c\mathbf{v}$  knowing that when  $|c| v \neq 0$ , the direction of  $c\mathbf{v}$  is either along  $\mathbf{v}$  (for c > 0) or against  $\mathbf{v}$  (for c < 0).

#### **Concepts and Skills to Master**

- Represent scalar multiplication graphically.
- Compute the product of a scalar and a vector.

# Supports for Teachers

- Capperto for Todoriero		
Critical Background Knowledge		
Distributive property, draw a vector		
Academic Vocabulary		
Scalar, vector, product		
Suggested Instructional Strategies		Resources
Connect scalar multiplication to dilations and similarity.		Precalculus textbook
Explore representations and magnitudes created by scalar multiples		IB Maths SL textbooks
of vectors.		
Sample Formative Assessment Tasks		
Skill-based Task	Problem Tas	k
Draw and find the magnitude of $-3v$ where $v=<-2, 3>$ .	Under what c	onditions is a scalar product of the sum of two
	vectors the savectors?	ame as the sum of the scalar products of the two

## Cluster Title: Perform operations on matrices and use matrices in applications.

**Standard (+) N.VM.6:** Use matrices to represent and manipulate data, e.g., to represent payoffs or incidence relationships in a network.

## **Concepts and Skills to Master**

- Organize data in a matrix.
- Identify and name matrix properties (e.g., dimensions) accurately.
- Interpret data in a matrix.
- Recognize and use matrix notation.

# Supports for Teachers

- Cupperto for redeficie			
Critical Background Knowledge			
Organize data in a table.			
Academic Vocabulary			
Row, column, dimension, square matrix, row matrix, column matrix			
Suggested Instructional Strategies		Resources	
Use matrices to represent a logic problem.		Newspapers, magazines	
Relate matrices to tables and spreadsheets.			
<ul> <li>Find examples in the media of data that can be represer</li> </ul>	nted in a		
matrix (e.g. sports, marketing, consumer data)			
Sample Formative Assessment Tasks			
Skill-based Task	Problem Tasl	K	
		from the newspaper into a matrix.	
each and apples are \$.52 each. At Wonderful Foods			
oranges are \$.35 each, plums are \$.58 each, and apples			
are \$.48 each. Organize this information into a 2 x 3			
matrix and into a 3 x 2 matrix.			

Cluster Title: Perform operations on matrices and use matrices in applications.

**Standard (+) N.VM.7:** Multiply matrices by scalars to produce new matrices, e.g., as when all of the payoffs in a game are doubled.

**Concepts and Skills to Master** 

- Understand that scalar multiplication does not change the order of elements in a matrix.
- Multiply a matrix by a scalar.

# Supports for Teachers

Critical Background Knowledge		
Distributive Property		
Academic Vocabulary		
Scalar		
Suggested Instructional Strategies	Resources	
Interpret scalar multiplication in real-world contexts.		
Multiply using a variety of scalars (e.g., fractions, integers).		
Use scalar multiplication with a matrix representing a portion.	olygon to	
create a dilation.		
Generalize scalar multiplication to include variables.		
Sample Formative Assessment Tasks		
Skill-based Task	Problem Task	
Multiply:	Create a story context for:	
	$1.5 \begin{bmatrix} 3 & 9 & 11 \\ 11 & 6 & 8 \end{bmatrix}$	
$\begin{vmatrix} -a \\ r \end{vmatrix}$	1.5 11 6 8	

Cluster Title: Perform operations on matrices and use matrices in applications.

Standard (+) N.VM.8: Add, subtract, and multiply matrices of appropriate dimensions.

**Concepts and Skills to Master** 

• Recognize the necessary conditions for matrix operations.

Add and subtract matrices by hand and using technology.

Multiply matrices by hand and using technology.

Explain the meaning of the result of matrix operations in context.

# Supports for Teachers

### **Critical Background Knowledge**

• Dimensions of matrices, row, column, order of operations

### **Academic Vocabulary**

Row, column, matrix

Resources

- Connect matrix operations to a context.
- Use matrix operations to perform geometric transformations.

### **Sample Formative Assessment Tasks**

#### Skill-based Task

$$\begin{bmatrix} 3 & 0 & -3 \\ 4 & 1 & -5 \end{bmatrix} + \begin{bmatrix} 2 \\ -4 \end{bmatrix} \begin{bmatrix} 5 & -8 & 0 \end{bmatrix}$$

#### Problem Task

The elements of **A** represent the number of three different parts in production at two factories. The elements of **B** represent the labor hours required to produce each part at each of the two factories. What is the meaning of each element in **AB**? In **BA**?

$$A = \begin{bmatrix} 40 & 30 & 80 \\ 20 & 70 & 35 \end{bmatrix}, B = \begin{bmatrix} 4 & 3 \\ 2 & 5 \\ 6 & 2 \end{bmatrix}$$

Vector and Matrix Quantities Secondary I Honors

## **Core Content**

## Cluster Title: Perform operations on matrices and use matrices in applications.

**Standard (+) N.VM.9:** Understand that, unlike multiplication of numbers, matrix multiplication for square matrices is not a commutative operation, but still satisfies the associative and distributive properties.

## **Concepts and Skills to Master**

- Understand that multiplication of matrices is not commutative.
- Understand that the associative and distributive properties hold for matrix multiplication.

# Supports for Teachers

Critical Background Knowledge	Critical Background Knowledge			
Matrix multiplication				
Properties of real numbers				
Academic Vocabulary				
Associative, commutative, distributive, square matrix				
Suggested Instructional Strategies		Resources		
Explore the result of a variety of matrix operations on square matrices				
using technology.				
Sample Formative Assessment Tasks				
Skill-based Task	Problem Task	(		
Show that multiplication of square matrices is not	Create two sq	uare matrices such that <b>AB = BA.</b>		
commutative.				

### Cluster Title: Perform operations on matrices and use matrices in applications.

**Standard (+) N.VM.10:** Understand that the zero and identity matrices play a role in matrix addition and multiplication similar to the role of 0 and 1 in the real numbers. The determinant of a square matrix is nonzero if and only if the matrix has a multiplicative inverse.

#### **Concepts and Skills to Master**

- Recognize and create matrices that are identity matrices.
- Determine additive and multiplicative identities and inverses of a matrix when they exist.
- Find the determinant of a matrix using technology.
- Use the determinant to determine if a square matrix has an inverse.

# Supports for Teachers

Critical Background Knowledge			
• Multiplication of matrices, additive and multiplicative identities and additive and multiplicative inverses of real numbers,			
division by zero as undefined	division by zero as undefined		
Academic Vocabulary			
Identity, inverse, determinant, square matrix, non-zero, variable matrix, singular matrix			
Suggested Instructional Strategies		Resources	
<ul> <li>Solve matrix equations in the form AX + B = C, where A, B, and C are</li> </ul>			
number matrices and X is a variable matrix.			
Explore addition and multiplication of identity matrices.			
Determine multiplicative inverses by hand for 2 x 2 matrices and using			
technology for larger matrices.			
Sample Formative Assessment Tasks			
Skill-based Task	Problem Task	(	
Find the inverse of the following matrix, if it exists:		contrast the process of solving a linear	
$\begin{bmatrix} 3 & -4 \end{bmatrix}$	equation with t	the process of solving a matrix equation using	

properties.

If **AB** = **I**, what can you say about **BA**? Explain.

## Cluster Title: Perform operations on matrices and use matrices in applications.

**Standard (+) N.VM.11:** Multiply a vector (regarded as a matrix with one column) by a matrix of suitable dimensions to produce another vector. Work with matrices as transformations of vectors.

## **Concepts and Skills to Master**

- Define and represent a vector as a matrix with one column.
- Recognize that multiplication of a vector (v) by a matrix (A) is calculated as Av.
- Understand that a matrix is a representation of a function where **v** is the input, and the product of **A** and **v** is the output.
- Transform a vector using a matrix.

# Supports for Teachers

Supports for reachers			
Critical Background Knowledge			
Multiplication of matrices, vectors			
Academic Vocabulary			
Vector, matrix, transformation, column matrix			
Suggested Instructional Strategies		Resources	
Explore transformations by trying different values in a transformation		Illuminations, Computer Animation	
matrix and observing the resultant vector.		IB Maths SL Textbook	
Apply transformations of matrices to cryptology.		Inspire calculator, Geometer's Sketchpad,	
11.7		IMP (Key Curriculum) Year 4: "As the Cube	
		Turns"	
Sample Formative Assessment Tasks			
Skill-based Task	Problem Tas	k	
Transform the vector <2,1> using the transformation	Find a transformation matrix that would halve the magnitude		
$\begin{bmatrix} -2 & 0 \end{bmatrix}$ of a vector ar		or and rotate it 90 degrees.	
matrix $\begin{bmatrix} -2 & 0 \\ 0 & 2 \end{bmatrix}$ and describe the result.			

Vector and Matrix Quantities Secondary I Honors

#### **Core Content**

#### Cluster Title: Perform operations on matrices and use matrices in applications.

**Standard (+) N.VM.12:** Work with 2 × 2 matrices as transformations of the plane, and interpret the absolute value of the determinant in terms of area.

#### **Concepts and Skills to Master**

- Recognize matrix transformations as a function.
- Transform geometric figures using 2 x 2 matrices.
- Find the area of a triangle using determinants.

# Supports for Teachers

#### Critical Background Knowledge

• Area of a triangle, ordered pairs, definition of a function, determinant, matrix operations, absolute value

### **Academic Vocabulary**

Matrix, determinant, transformation

Suggested Instructional Strategies	Resources
<ul> <li>Find the area of a triangle using ½ the absolute value of the</li> </ul>	
determinant of the square matrix representing the coordinates of the	
vertices of a polygon.	

#### **Sample Formative Assessment Tasks**

# Skill-based Task

Use matrix arithmetic to translate the triangle with coordinates (2,4), (-1,3) and (0,-2) three units to the right and one unit down.

#### **Problem Task**

Extend the process of finding the area of a triangle using determinants to other polygons.

Cluster Title: Perform operations on matrices and use matrices in applications.

**Standard:** Solve systems of linear equations using matrices.

### **Concepts and Skills to Master**

- Represent a system of linear equations using matrices.
- Solve a system of two equations with two unknowns by hand using matrices.
- Use technology to solve a system of three or more equations using matrices.

# Supports for Teachers

## **Critical Background Knowledge**

- Methods of solving systems of linear equations in two-variables
- Identity matrix.
- Inverse matrix
- Find a determinant

#### **Academic Vocabulary**

Matrices, row-echelon form, inverse, identity, determinant, dependent, inconsistent, singular matrix

# **Suggested Instructional Strategies**

Resources

- Use row-echelon form to solve systems of equations.
- Use matrix equations to solve systems.
- Use contextual situations with multiple variables to explore the power of matrices.
- Explore dependent and inconsistent systems of equations.

#### **Sample Formative Assessment Tasks**

#### Skill-based Task

Solve using a matrix:

$$4x - 4y = 5$$

$$6x + 8y = -3$$

#### **Problem Task**

Create a system of equations such that the reduced rowechelon form on your calculator returns the matrix:

What is the graphical interpretation of this result?